



Clariant Corporation
4000 Monroe Road
Charlotte, NC 28205

09/20/2018

INTERNATIONAL PLASTICS INC

**185 COMMERCE CTR
GREENVILLE, SC 29615-5817
USA**

**ATTN: SDS Coordinator /
Safety Director**

Dear Valued Customer:

Enclosed are Safety Data Sheet(s) (SDSs) for products that your company recently purchased.

Our objective in sending this information is to help you protect the health and safety of your personnel and to comply with the OSHA Hazard Communication Standard and Title III of the Superfund Amendments and Reauthorization Act of 1986. The OSHA standard requires that all personnel who may be exposed to hazardous materials must be provided by their employer with accurate information on the potential hazards of the materials and trained in proper work practices to minimize any risk.

Please forward the attached SDS(s) to the individual(s) in your organization responsible for implementing these regulations.

Enclosed are the SDS(s) for the following product(s):

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

We appreciate your business. Our goal is to supply customers with accurate and meaningful health, safety, and environmental information to foster responsible use of our products. If you have any questions about the SDS(s) or the information contained therein, please do not hesitate to contact us.

Sincerely,

Clariant Corporation

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 1

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Corporation 4000 Monroe Road Charlotte, NC, 28205 Telephone No.: +1 704 331 7000
	Information of the substance/preparation: Product Stewardship, +1-704-331-7710
	Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP
Material number: 254241
CAS number: 1302-78-9
Primary product use: Desiccant
Restrictions on use : There are no uses advised against.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 1302-78-9

Hazardous components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice : No known delayed effects. Consult a physician for all exposures except for minor instances.

If inhaled : **INHALATION:** If exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention. Get medical attention if cough and other symptoms develop.

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

- If you feel unwell, seek medical advice (show the label where possible).
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Use a mild soap if available.
- In case of eye contact : Do not rub affected area.
Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes.
Obtain medical attention.
- If swallowed : Normally not needed. If whole canisters or sachets are ingested, call a physician or your local Poison Control Center (1-800-222-1222 in the United States).
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : The product itself does not burn.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray jet
Dry powder
Foam
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : No restrictions
- Specific hazards during firefighting : The product is not flammable.
Does not sustain combustion.
No hazardous decomposition products are known.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Special sliding risk through leaking of spilled product in connection with water.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Avoid dust formation.
Evacuate personnel to safe areas.
Avoid contact with skin, eyes and clothing.
Wear personal protective equipment.

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 3

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Avoid breathing dust.
 Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
 Special sliding risk through leaking of spilled product in connection with water.
 Wearing appropriate personal protective equipment, contain spill and collect into a suitable container.
 No special precautions required.
 Refer to Section 8 for more information.

- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers. If product is released from trucks in roads, place signposts and remove the spill using vacuum cleaning systems.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Use of proper hygiene practices in the workplace is recommended.
- Conditions for safe storage : Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.
- Technical measures/Precautions : Store in a dry place.
 Store in a dry place.
- Materials to avoid : No conditions to be specially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Use ventilation adequate to keep exposures below recommended exposure limits. See the safety datasheet.

Personal protective equipment

- Respiratory protection : Use local exhaust if dusting occurs. Good general ventilation is adequate in the absence of dusts.
- Hand protection
- Remarks : Wear protective gloves. Wash thoroughly after handling.

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

- Eye protection : Safety glasses with side-shields
- Skin and body protection : Wear suitable protective equipment.
- Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : lumpy, granular, powder
- Colour : bright to earthy
- Odour : none
- Odour Threshold : not determined
- pH : 6 - 11 (20 °C)
Method: aqueous suspension
For detail information please refer to our physical & chemical data sheet.
- Melting point/range : > 450 °C
Method: EU A.1
- Boiling point/boiling range : not applicable (solid with a melting point > 450 °C)
- Flash point : Not applicable
- Evaporation rate : not applicable (solid with a melting point > 450 °C)
- Flammability (solid, gas) : does not ignite
Method: EU A.10
- Self-ignition : Method: 92/69/EEC, A.6.
no relative self-ignition temperature below 400 °C
- Upper explosion limit : Not applicable
- Lower explosion limit : non explosive (void of any chemical structures commonly associated with explosive properties)
- Vapour pressure : not applicable (solid with a melting point > 450 °C)
- Relative vapour density : Not applicable
- Density : 2.6 g/cm³
- Bulk density : 500 - 1,100 kg/m³For detail information please refer to our physical & chemical data sheet.
- Solubility(ies)
Water solubility : < 0.9 g/l (20 °C)

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 5

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Method: Tested according to Directive 92/69/EEC.

Partition coefficient: n-octanol/water	:	Not applicable inorganic
Auto-ignition temperature	:	not determined
Decomposition temperature	:	No decomposition if used as directed.
Viscosity		
Viscosity, dynamic	:	not applicable (solid with a melting point > 450 °C)
Viscosity, kinematic	:	Not applicable
Oxidizing properties	:	no oxidizing properties (Based on the chemical structure, the substance does not contain a surplus of oxygen or any structural groups known to be correlated with a tendency to react exothermally with combustible material)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Forms slippery/greasy layers with water.
Incompatible materials	:	inert, not reactive Avoid storing together with materials that may be affected by dust.
Hazardous decomposition products	:	Not relevant

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact

Ingestion

Acute toxicity**Product:**

Acute oral toxicity	:	LD50 (Rat): > 2 g/kg Method: OECD Test Guideline 420
Acute inhalation toxicity	:	Remarks: no data available
Acute dermal toxicity	:	Remarks: no data available Bentonite is almost insoluble and has a low absorption through the skin.

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Skin corrosion/irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks: no data available

Bentonite is considered not to be a skin sensitizer based on experience in handling and low absorption through the skin.

Germ cell mutagenicity

Product:

Genotoxicity in vitro

: Test Type: In vitro gene mutation study in bacteria

Method: OECD Test Guideline 471

Result: negative

: Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

: Test Type: In vitro gene mutation study in mammalian cells

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Product:

Remarks: Based on available data, the classification criteria are not met.

IARC Not listed

OSHA Not listed

NTP Not listed

Reproductive toxicity

Product:

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 7

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Effects on fertility : Remarks: Based on available data, the classification criteria are not met.

STOT - single exposure**Product:**

Remarks: No organ toxicity observed in acute tests.
Based on available data, the classification criteria are not met.

Aspiration toxicity**Product:**

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 16 g/l
Exposure time: 96 h

LC50 (Marine water fish): 2.8 - 3.2 g/l
Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Metacarcinus magister): 81.6 mg/l
Exposure time: 96 h

EC50 (Pandalus danae): 24.8 mg/l
Exposure time: 96 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 100 mg/l
Exposure time: 72 h

Plant toxicity : (Phaseolus vulgaris): 84.4 mg/kg
Remarks: No effect on the growth was observed.

(Zea mays): 84.4 mg/kg
Remarks: No effect on the growth was observed.

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Persistence and degradability**Product:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Not relevant for inorganic substances

Mobility in soil**Product:**

Distribution among environmental compartments : Medium: Soil
Remarks: Bentonite is almost insoluble and thus presents a low mobility in most soils.

Other adverse effects**Product:**

Additional ecological information : According to experience and to the information currently available, the product has no harmful effects on the environment if used correctly as intended.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource Conservation and Recovery Act : No -- Not as sold.

Waste Code : NONE

Waste from residues : This product, if discarded as sold, is not a Federal RCRA hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

Contaminated packaging : No specific requirements.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 9

Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards**SARA 313** : This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.**Clean Water Act**

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:**TSCA** : All components of this product are listed or excluded from listing on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) Inventory.**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

BAG DESI PAK® 1U T2 CP-550 3X4½ 300/PP

Page 10


Substance key: SC0000107388

Revision Date: 05/02/2017

Version : 4 - 1 / USA

Date of printing :09/20/2018

Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information**NFPA:**

Revision Date : 05/02/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN